



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

# FIRST-YEAR ALGEBRA, AS DEVELOPED IN THE ACADEMIC HIGH SCHOOL, NEW BRITAIN, CONN.


BY ROBERT R. GOFF.

The aim of first-year algebra is to develop: (1) Ability to translate problems into equations of the first and second degree, and to solve these equations; (2) habits of systematic effort. For this purpose a study of the following topics is necessary:

1. The four operations, with much drill on signs, coefficients, and exponents.
2. Special products, with emphasis on the square of a binomial.
3. Factoring without grouping. Three cases:
  - (1) Common monomial factor.
  - (2) Quadratic trinomial.
  - (3) Difference of two squares.
4. Fractions, principally with monomial denominators.
5. Linear equations.
6. Square root of arithmetical numbers.
7. Quadratic equations, solved by:
  - (1) Graphs.
  - (2) Factoring.
  - (3) Completing the square.
8. Simultaneous linear equations, solved by addition or subtraction, and graphs.
9. Simultaneous linear-quadratic equations, solved by substitution, and graphs.
10. Problems,—ten types.

All of these topics are illustrated by geometrical figures. For example:

Factor $a^2 + ab - 2b^2$	
Algebra	Geometry
$a^2 + ab - 2b^2 = (a + 2b)(a - b)$	Let $a = \text{---}$ ; $b = \text{---}$



What figure represents  $a^2$ ?  $ab$ ?  $2b^2$ ?  $a^2 + ab - 2b^2$ ?

What does figure 2 = ? (6)

By rearranging, what rectangle is formed?  $(1 + 5 + 6)$ .

The sides of this rectangle are the factors.

The commoner definitions are shown by contrast.

**Sum** is the result of adding quantities.

**Term** is one of the quantities of a sum.

**Coefficient** shows how many times the quantity is used as a term.

**Multiple** is the sum of identically equal terms.

**Aliquot part** is one of the identically equal terms of a multiple.

**Denominator** shows how many equal aliquot parts.

**Product** is the result of multiplying quantities.

**Factor** is one of the quantities of a product.

**Exponent** shows how many times the quantity is used as a factor.

**Power** is the product of identically equal factors.

**Root** is one of the identically equal factors of a power.

**Index** shows how many equal roots.

The ten types of problems with their formulas are:

1. Equality of abstract related numbers.

$$A +, -, \times, \div x = b +, -, \times, \div y.$$

2. Cost, selling price, gain or loss.

$$C + G = S; C - L = S.$$

3. Mensuration (rectangles, etc.).

$$(a) p = 2l + 2w.$$

$$(b) a = lw.$$

4. Number with digits.

$$100h + 10t + u = n.$$

5. Value of coins.

$$25q + 10d + c = s.$$

6. Changed number and price.

$$np = (n + a)(p + b)$$

7. Joint work.

$$(a) 1/a + 1/b = 1/c.$$

$$(b) x/a + y/b = 1.$$

8. Interest.

$$(a) I = PRT/100.$$

$$(b) A = P + PRT/100$$

9. Mixtures.

$$(a) ax + by = c(x + y).$$

$$(b) am = c(m + y).$$

10. Uniform motion.

$$D = RT.$$

Under class 6 are the lever problems where  $p$  is the power and  $n$  is the distance from the fulcrum.

In class 7, formula (a) is used when all the elements work all the time; formula (b) when some of the elements do not work

all the time. Under this case are the problems about the consuming of provisions by a number of men; also the filling of tanks by pipes.

In class 9, there are two common kinds of mixture problems:

(a) By taking from an  $a$  per cent. mixture and a  $b$  per cent. mixture to make a  $c$  per cent. mixture.

(b) By dilution, to change the per cent. of an ingredient in a mixture from  $a$  to  $b$ .

The second is a special case of the first when  $b$  equals zero.

Alloy problems come under class 9.

In class 10, uniform motion problems are of many types. Some of these are:

1. Two objects moving in the same direction for the same distance but unequal rates and times.
2. Two objects moving in opposite directions for the same time but unequal rates and distances.
3. An object moving with and against an outside force.

Rotating wheel problems often come under the first type; clock problems under the second.

The recitation is divided roughly into three parts:

1. Drill in analysis, recognition of types, and determination of method on past work; sometimes "chalk and talk."
2. Drill of a similar nature in the assignment for the next day.
3. Supervised study, with individual attention that the drill is followed.

NEW BRITAIN, CONN.